



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/529,162	03/24/2005	Kenji Yoneda	43521-3100	2113
21611 7590 12/16/2008 SNELL & WILMER LLP (OC) 600 ANTON BOULEVARD SUITE 1400 COSTA MESA, CA 92626				
EXAMINER				
WILCOX, JAMES J				
ART UNIT		PAPER NUMBER		
2169				
MAIL DATE		DELIVERY MODE		
12/16/2008		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/529,162

Applicant(s)

YONEDA, KENJI

Examiner

JAMES J. WILCOX

Art Unit

2169

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 October 2008.
2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 40-59 is/are pending in the application.
4a) Of the above claim(s) _____ is/are withdrawn from consideration.
5) ☐ Claim(s) _____ is/are allowed.
6) ☒ Claim(s) 40-59 is/are rejected.
7) ☐ Claim(s) _____ is/are objected to.
8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
10) ☒ The drawing(s) filed on 24 March 2005 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3) ☐ Information Disclosure Statement(s) (PTO-8508)
Paper No(s)/Mail Date _____

- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
5) ☐ Notice of Informal Patent Application
6) ☐ Other: _____

DETAILED ACTION

Remarks

1. The Amendment filed 10/17/2008 has been received and entered. Application 10/529,162 Claims 40-59 are now pending.

Continued Examination Under 37 CFR 1.114

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 10/30/2008 has been entered.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 40-59 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lys et al (US Patent No: 6,577,080 B2) further in view of Copenhaver et al (Pub. US 2003/0131372 A1) hereinafter "Copenhaver."

With respect to claim 40, Lys discloses "A condition data collecting system for promoting a growth or health of living organisms comprising, multiple controlling systems that promote a growth or health of living organisms by controlling at least a light irradiated on the living organisms, and an information processing system that is communicably connected with the controlling systems, characterized by that: (Column 62, Lines 50-67, illuminating a living organism, these technologies can be directed to cells, microorganisms, plants or animals, microbiological applications, cloning applications, cell culture, agricultural applications, aquaculture, veterinary applications or human applications. Plant growth can be accelerated by precisely controlling the spectrum of light they are grown in. A plurality of LED systems provide illumination to fruitbearing plants being grown in a greenhouse environment. Cellular growth in culture can be improved by illuminating the cells or the media with light having certain spectral qualities)

the multiple controlling systems includes an environment controlling unit including at least a light irradiating unit, the information processing system includes an environmental data receiving part that receives relevant environmental data which is data concerning an environment of the living organism including the light irradiated on the living organism from a first controlling system; (Column 7, Lines 27-35, the system may also include a signal generator for generating signal that controls the other device and an illumination control driver for generating the illumination control signal for the illumination source. The illumination source may be an LED system that is controlled by a

Art Unit: 2169

microprocessor to vary at least one of the color and intensity of the illumination produced by the illumination source in response to the illumination control signal; (Column 40, Lines 58-66, the smart light bulb may be equipped with a receiver and/or transmitter which may be connected to the processor. The receiver may be merely an interface to a circuit or network connection or may be a separate component capable of receiving other signals. The receiver may receive signals by a data connection from another device).

an environmental data administrating part that administers the environmental data received by the environmental data receiving part; an environmental data delivering part that obtains the environmental data administered by the environmental data administrating part and delivers the environmental data to a second controlling system when the environmental data delivering part receives an environmental data request signal from the second controlling system; (Column 42, Lines 3-20 & 33-34, the data network may carry signals from a control device. The control device may be any device capable of sending a signal to a data network. The control device is an electrocardiogram (EKG) machine. The EKG machine has a plurality of sensors that measure the electrical activity of the heart of a patient. The EKG machine may be programmed to send control data over the network to the smart light bulb in instances in which the EKG machine measures particular states of the electrical activity measured by the sensors. The light bulbs could illuminate with a particular color, such as green, for normal cardiac activity, but could change to a different color to reflect particular cardiac problems. For example, arrhythmia

Art Unit: 2169

could be reflected by a flashing red illumination signal to the smart light bulb, a rapid pulse could be reflected by a yellow signal to the smart light bulbs, or the like; the present invention may be used as a general indicator of any given environmental condition)

a state data receiving part that receives state data which is data concerning a state of a midstream process or a final result of a culture or cure of living organisms; (Column 62, Lines 50-67, illuminating a living organism, these technologies can be directed to cells, microorganisms, plants or animals, microbiological applications, cloning applications, cell culture, agricultural applications, aquaculture, veterinary applications or human applications. Plant growth can be accelerated by precisely controlling the spectrum of light they are grown in. A plurality of LED systems provide illumination to fruitbearing plants being grown in a greenhouse environment. Cellular growth in culture can be improved by illuminating the cells or the media with light having certain spectral qualities; Column 40, Lines 58-66, the smart light bulb may be equipped with a receiver and/or transmitter which may be connected to the processor. The receiver may be merely an interface to a circuit or network connection or may be a separate component capable of receiving other signals. The receiver may receive signals by a data connection from another device)

a state data administering part that administers the state data received by the state data receiving part; (Column 42, Lines 3-20 & 33-34, the data network may carry signals from a control device. The control device may be any device capable of sending a signal to a data network. The control device is an

Art Unit: 2169

electrocardiogram (EKG) machine. The EKG machine has a plurality of sensors that measure the electrical activity of the heart of a patient. The EKG machine may be programmed to send control data over the network to the smart light bulb in instances in which the EKG machine measures particular states of the electrical activity measured by the sensors. The light bulbs could illuminate with a particular color, such as green, for normal cardiac activity, but could change to a different color to reflect particular cardiac problems. For example, arrhythmia could be reflected by a flashing red illumination signal to the smart light bulb, a rapid pulse could be reflected by a yellow signal to the smart light bulbs, or the like; the present invention may be used as a general indicator of any given environmental condition)

and a state data delivering part that delivers a part or all of the state data administered by the state data administrating part to the second controlling system," (Column 42, Lines 3-20 & 33-34, the data network may carry signals from a control device. The control device may be any device capable of sending a signal to a data network. The control device is an electrocardiogram (EKG) machine. The EKG machine has a plurality of sensors that measure the electrical activity of the heart of a patient. The EKG machine may be programmed to send control data over the network to the smart light bulb in instances in which the EKG machine measures particular states of the electrical activity measured by the sensors. The light bulbs could illuminate with a particular color, such as green, for normal cardiac activity, but could change to a different color to reflect particular cardiac problems. For example, arrhythmia could be reflected by a

Art Unit: 2169

flashing red illumination signal to the smart light bulb, a rapid pulse could be reflected by a yellow signal to the smart light bulbs, or the like; the present invention may be used as a general indicator of any given environmental condition; the connection between the decoder and the illumination sources could be a transmitter, circuit, network, or other connection method of delivering data to the illumination sources; Column 54, Lines 3-5, the invention further delivers illumination to a target material through a durable and manipulable apparatus; Column 55, Lines 21-25, the method can include the additional step of administering an agent to a patient, wherein the agent is delivered to a body part, and whereby the agent alters the characteristic of the light reflected from the area of the body part; Claim 19, a connection for delivering a portion of the combined signal to the other device).

Lys does not explicitly disclose "a royalty data producing part that produces royalty data which is a value to be received in return for disclosing the environmental data originally produced by the first controlling system to the second controlling system, in relationship to a controlling system in relationship to a controlling system identifier that identifies the first controlling system when the environmental data is received or delivered."

However, Copenhaver discloses "the royalty payment may take a variety of forms. The royalty can be charged either as a one time payment, fixed fee paid on a regular basis, or a portion of the sales, or any combination thereof. For

Art Unit: 2169

example, the technology for creating a new crop or the new crop itself may be licensed to a third party," ([0083]).

Lys and Copenhagen are analogous art because they are from the same field of endeavor involving systems involving plant growth.

At the time of invention, it would have been obvious to one of ordinary skill to in the art, having the teachings of Lys and Copenhagen before him or her, to modify the teachings of Lys by adding a royalty payment as taught by Copenhagen. The motivation for doing so would enable a user to reduce the time necessary to produce new crops, and allow one to increase revenues associated with crops, develop new crops, develop new avenues for generating revenues from crops through royalty payments, and provide new services to a third party ([0015]; [0031]). The cited additional element would not interfere with the functionality of steps previously claimed and would perform the same function. Therefore it would have been obvious to combine Lys with Copenhagen to obtain the invention as specified in the instant claim(s).

With respect to claim 41, the combination of Lys and Copenhagen discloses "The condition data collecting system of claim 40 wherein the information processing system further includes:

a payment data obtaining part that obtains payment data concerning payment or a guarantee of payment in compensation for the environmental data

Art Unit: 2169

delivered in accordance with a controlling system identifier that identifies the second controlling system requesting the environmental data, wherein the environmental data delivering part obtains the environmental data from the environmental data administrating part and delivers the environmental data to the other controlling system identified by the controlling system identifier provided that the payment data obtaining part has obtained the payment data; (Copenhaver, [0031], the fee is received as a royalty payment; [0032], the fee is received through sales of seed generated by the new crop; [0033], the fee is based on sales of a product made from the new crop; [0034], the fee is based on licensing of the new crop or product; [0035], the fee is based on licensing of the new crop or product; [0083], the royalty payment may take a variety of forms. The royalty can be charged either as a one time payment, fixed fee paid on a regular basis, or a portion of the sales, or any combination thereof. For example, the technology for creating a new crop or the new crop itself may be licensed to a third party)

and the royalty data producing part produces the royalty data in relationship to the controlling system identifier of the first controlling system provided that the payment data obtaining part has obtained the payment data,” (Copenhaver, [0083], the royalty payment may take a variety of forms. The royalty can be charged either as a one time payment, fixed fee paid on a regular basis, or a portion of the sales, or any combination thereof. For example, the technology for creating a new crop or the new crop itself may be licensed to a third party).

With respect to claim 42, the combination of Lys and Copenhagen discloses "The condition data collecting system of claim 40 wherein the royalty data producing part produces the royalty data in accordance with the specific environmental datum or data delivered by the environmental data delivering part," (Copenhagen, [0031], the fee is received as a royalty payment; [0032], the fee is received through sales of seed generated by the new crop; [0033], the fee is based on sales of a product made from the new crop; [0034], the fee is based on licensing of the new crop or product; [0035], the fee is based on licensing of the new crop or product; [0083], the royalty payment may take a variety of forms. The royalty can be charged either as a one time payment, fixed fee paid on a regular basis, or a portion of the sales, or any combination thereof. For example, the technology for creating a new crop or the new crop itself may be licensed to a third party).

With respect to claim 43, the combination of Lys and Copenhagen discloses "The condition data collecting system of claim 40 wherein the royalty data producing part produces the royalty data in accordance with an amount of environmental data used," (Copenhagen, [0031], the fee is received as a royalty payment; [0032], the fee is received through sales of seed generated by the new crop; [0033], the fee is based on sales of a product made from the new crop; [0034], the fee is based on licensing of the new crop or product; [0035], the fee is based on licensing of the new crop or product; [0083], the royalty payment may

take a variety of forms. The royalty can be charged either as a one time payment, fixed fee paid on a regular basis, or a portion of the sales, or any combination thereof. For example, the technology for creating a new crop or the new crop itself may be licensed to a third party).

With respect to claim 44, the combination of Lys and Copenhagen discloses "The condition data collecting system of claim 40 wherein the information processing system further includes:

an assessment data obtaining part that obtains assessment data showing an assessment of uniqueness or effectiveness of the environmental data administered by the environmental data administrating part, wherein the environmental data delivering part delivers the environmental data provided that contents of the assessment data obtained by the assessment data obtaining part meets a predetermined requirement," (Lys, Column 42, Lines 11-20, the EKG machine measures particular states of the electrical activity measured by the sensors. The light bulbs could illuminate with a particular color such as green, for normal cardiac activity, but could change to a different color to reflect particular cardiac problems. For example the arrhythmia could be reflected by a flashing red illumination signal to the smart light bulb, a rapid pulse could be reflected by a yellow signal to the smart light bulbs or the like. These light bulbs are accessed and depending on what color they light up results in a certain cardiac condition).

With respect to claim 45, the combination of Lys and Copenhaver discloses "The condition data collecting system of claim 40 wherein the information processing system further includes:

[an assessment data obtaining part that obtains the assessment data showing an assessment of an effectiveness of the environmental data administered by the environmental data administrating part, wherein the royalty data producing part produces the royalty data based on a content of the assessment data obtained by the assessment data obtaining part," (Lys, Column 42, Lines 11-20, the EKG machine measures particular states of the electrical activity measured by the sensors. The light bulbs could illuminate with a particular color such as green, for normal cardiac activity, but could change to a different color to reflect particular cardiac problems. For example the arrhythmia could be reflected by a flashing red illumination signal to the smart light bulb, a rapid pulse could be reflected by a yellow signal to the smart light bulbs or the like. These light bulbs are accessed and depending on what color they light up results in a certain cardiac condition; Copenhaver, [0031], the fee is received as a royalty payment; [0032], the fee is received through sales of seed generated by the new crop; [0033], the fee is based on sales of a product made from the new crop; [0034], the fee is based on licensing of the new crop or product; [0035], the fee is based on licensing of the new crop or product; [0083], the royalty payment may take a variety of forms. The royalty can be charged either as a one time payment, fixed fee paid on a regular basis, or a portion of the sales, or any

Art Unit: 2169

combination thereof. For example, the technology for creating a new crop or the new crop itself may be licensed to a third party).

With respect to claim 46, the combination of Lys and Copenhagen discloses "The condition data collecting system of claim 40 wherein the environmental data delivering part delivers source information indicating the first controlling system as being the source of the environmental data, with this information being attached to the environmental data delivered to the other controlling system only when the content of the information concerning the permission to disclose the source, which is received from the first controlling system, is "can be disclosed." (Lys, Column 46, Lines 42-46, the ID badge with the LED system on it may change color in response to a control network depending on whether the person wearing it is authorized to be in a certain area, so that others will know if that person is supposed to be here; It is also obvious to those skilled in the art that if you have the right clearance through an ID badge or other means such as paid member than the information is accessible to those people because they are authorized; Column 40, Lines 58-66, the smart light bulb may be equipped with a receiver and/or transmitter which may be connected to the processor. The receiver may be merely an interface to a circuit or network connection or may be a separate component capable of receiving other signals. The receiver may receive signals by a data connection from another device).

With respect to claim 47, the combination of Lys and Copenhagen discloses "The condition data collecting system of claim 40 wherein the state data includes image data obtained by imaging the relevant living organism," (Lys, Column 62, Lines 50-67, illuminating a living organism, these technologies can be directed to cells, microorganisms, plants or animals, microbiological applications, cloning applications, cell culture, agricultural applications, aquaculture, veterinary applications or human applications. Plant growth can be accelerated by precisely controlling the spectrum of light they are grown in. A plurality of LED systems provide illumination to fruitbearing plants being grown in a greenhouse environment. Cellular growth in culture can be improved by illuminating the cells or the media with light having certain spectral qualities; Column 54, Lines 34-36, the method can include providing an image capture system, wherein the image capture system is adapted for recording an image of the material).

With respect to claim 48, the combination of Lys and Copenhagen discloses "The condition data collecting system of claim 40 wherein the state data delivering part delivers the image data included in the state data in the form of sequential images," (Lys, Column 54, Lines 34-40, the method can include providing an image capture system, wherein the image capture system is adapted for recording an image of the material, which can include the steps of determining the range of frequencies within the spectrum for illuminating the material, and controlling the LED system to generate the corresponding color

Art Unit: 2169

within the spectrum; Column 59, Lines 13-14, can enhance the resolution of images acquired using conventional imaging modalities. It is obvious to those skilled in the art that the image capture system can produce more than one image sequentially).

With respect to claim 49, the combination of Lys and Copenhaver discloses "the condition data collecting system of claim 40 wherein the information processing system further includes:

a fundamental environmental data storing part that stores a fundamental environmental datum or data in advance, (Lys, Column 11, Lines 10-13, the light module may also be provided with memory for storing instructions to control the processor so that the light module may act in stand alone mode according to the pre-programmed instructions).

and a fundamental environmental data delivering part that delivers the fundamental environmental data," (Lys, Column 26, Lines 9-13, delivering data to a multitude of lighting fixtures attached to a track, a track capable of delivering the signals to the fixtures)

With respect to claim 50, the combination of Lys and Copenhaver discloses "The condition data collecting system of claim 40 wherein the living organism is a plant," (Lys, Column 62, Lines 50-67, illuminating a living organism, these technologies can be directed plants or agricultural applications. Plant growth can be accelerated by precisely controlling the spectrum of light they are

Art Unit: 2169

grown in. A plurality of LED systems provide illumination to fruitbearing plants being grown in a greenhouse environment. Cellular growth in culture can be improved by illuminating the cells or the media with light having certain spectral qualities)

With respect to claim 51, the combination of Lys and Copenhaver discloses "The condition data collecting system of claim 40 wherein the controlling system includes:

a request signal transmitting part that transmits a request signal to the information processing system requesting delivery of environmental data that is specified by an environmental data identifier; (Lys, Column 26, Lines 9-13, delivering data to a multitude of lighting fixtures attached to a track, a track capable of delivering the signals to the fixtures)

an environmental data receiving part that receives the environmental data delivered by the information processing system; (Lys, Column 40, Lines 58-66, the smart light bulb may be equipped with a receiver and/or transmitter which may be connecte4d to the processor. The receiver may be merely an interface to a circuit or network connection or may be a separate component capable of receiving other signals. The receiver may receive signals by a data connection from another device)

and a control means controlling part that controls one or multiple environment control means to control the environment of the living organism, based on the environmental data," (Lys, Column 46, Lines 2-4, the signal can

Art Unit: 2169

then be sent to a microcontroller controlling the LED system which can emit colors corresponding to pH levels; Column 55, Lines 59-67, an addressable controller having an alterable address, the controller coupled to the input and having a timer for generating the activation signal for a predefined portion of the timing cycle, the addressable controller further comprising a data receiver corresponding to the alterable address and indicative of the predefined portion of the timing cycle, and a positioning system capable of positioning the LED system in a spatial relationship with a material whereby the LED system illuminates the material; Column 62, Lines 50-67, illuminating a living organism, these technologies can be directed to cells, microorganisms, plants or animals, microbiological applications, cloning applications, cell culture, agricultural applications, aquaculture, veterinary applications or human applications. Plant growth can be accelerated by precisely controlling the spectrum of light they are grown in. A plurality of LED systems provide illumination to fruitbearing plants being grown in a greenhouse environment. Cellular growth in culture can be improved by illuminating the cells or the media with light having certain spectral qualities)

With respect to claim 52, the combination of Lys and Copenhaver discloses "The condition data collecting system of claim 40 wherein the controlling system further includes:

an environment measuring means that measures values of the environment of the living organism; (Lys, Column 59, Lines 65-67, a sensor

Art Unit: 2169

module can comprise a light meter for measuring the intensity of the light reflected by the surface being illuminated; Column 62, Lines 50-67, illuminating a living organism, these technologies can be directed to cells, microorganisms, plants or animals, microbiological applications, cloning applications, cell culture, agricultural applications, aquaculture, veterinary applications or human applications. Plant growth can be accelerated by precisely controlling the spectrum of light they are grown in. A plurality of LED systems provide illumination to fruitbearing plants being grown in a greenhouse environment. Cellular growth in culture can be improved by illuminating the cells or the media with light having certain spectral qualities)

a measured environmental data receiving part that receives measured environmental data indicating measured values of the environment of the living organism from the environment measuring means that measures the relevant environment," (Lys, Column 62, Lines 50-67, illuminating a living organism, these technologies can be directed to cells, microorganisms, plants or animals, microbiological applications, cloning applications, cell culture, agricultural applications, aquaculture, veterinary applications or human applications. Plant growth can be accelerated by precisely controlling the spectrum of light they are grown in. A plurality of LED systems provide illumination to fruitbearing plants being grown in a greenhouse environment. Cellular growth in culture can be improved by illuminating the cells or the media with light having certain spectral qualities; Column 40, Lines 58-66, the smart light bulb may be equipped with a receiver and/or transmitter which may be connecte4d to the processor. The

Art Unit: 2169

receiver may be merely an interface to a circuit or network connection or may be a separate component capable of receiving other signals. The receiver may receive signals by a data connection from another device; Column 56, Lines 39-46, illumination can be viewed or measured directly, whereby the reflected light regarded by the viewer or sensor is reflected at an angle relative to the surface substantially equivalent to the angle of the incident light. Illumination can be viewed or measured indirectly, whereby the reflected light regarded by the viewer or sensor is reflected at an angle relative to the surface that is different than the angle of the incident light. Direct or Indirect illumination can be directly at the surface of a material).

With respect to claim 53, the combination of Lys and Copenhaver discloses "The condition data collecting system of claim 40 wherein the controlling system further includes:

a living organism state measuring means that measures the state of growth or health of living organisms; (Lys, Column 62, Lines 55-56, plant growth can be accelerated by precisely controlling the spectrum of light).

a state data receiving part that receives state data as being data concerning the growth or health of the living organism from the living organism state measuring means; (Lys, Column 40, Lines 58-66, the smart light bulb may be equipped with a receiver and/or transmitter which may be connected to the processor. The receiver may be merely an interface to a circuit or network

connection or may be a separate component capable of receiving other signals.

The receiver may receive signals by a data connection from another device)

and a state data transmitting part that transmits the state data received by the state data receiving part to the information processing system," (Lys, Column 40, Lines 58-66, the smart light bulb may be equipped with a receiver and/or transmitter which may be connecte4d to the processor. The receiver may be merely an interface to a circuit or network connection or may be a separate component capable of receiving other signals. The receiver may receive signals by a data connection from another device).

With respect to claim 54, the combination of Lys and Copenhagen discloses "The condition data collecting system of claim 53 wherein the living organism state measuring means comprises an imaging means that images a part or all of the living organism," (Lys, Column 54, Lines 34-36, the method can include providing an image capture system, wherein the image capture system is adapted for recording an image of the material; Column 56, Lines 39-46, illumination can be viewed or measured directly, whereby the reflected light regarded by the viewer or sensor is reflected at an angle relative to the surface substantially equivalent to the angle of the incident light. Illumination can be viewed or measured indirectly, whereby the reflected light regarded by the viewer or sensor is reflected at an angle relative to the surface that is different than the angle of the incident light. Direct or Indirect illumination can be directly at the surface of a material).

With respect to claim 55, the combination of Lys and Copenhaver discloses "The condition data collecting system of claim 40 wherein the environmental data delivered by the information processing system is so arranged as to be incapable of being copied externally," (It is obvious to those skilled in the art that if you have a system where users must have access by subscribing then they won't have access to copy the resource externally).

With respect to claim 56, the combination of Lys and Copenhaver discloses "The condition data collecting system of claim 40 wherein the light irradiating means comprises an arrangement multiple LEDs of at least one red LED, blue LED, green LED, white LED, infrared LED, and ultraviolet LED or any combination thereof," (Lys, Figure 7 shows an array of LED's in a light module which in an arrangement with Red LED's, Blue LED's, and Green LED's; Column 1, Line 47, white LED; Column 76, Line 41, Ultraviolet lighting).

With respect to claim 57, the combination of Lys and Copenhaver discloses "The condition data collecting system of claim 40 wherein the environmental data transmitting part transmits information concerning the permission to disclose the source information, that indicates which controlling system the environmental data is delivered from, in order to judge whether or not the source information is to be attached when the environmental data is delivered from the information processing system to the other controlling system," (Lys,

Art Unit: 2169

Column 46, Lines 42-46, the ID badge with the LED system on it may change color in response to a control network depending on whether the person wearing it is authorized to be in a certain area, so that others will know if that person is supposed to be here; It is also obvious to those skilled in the art that if you have the right clearance/authorization through an ID badge or other means such as paid member then the information is accessible to those people because they are authorized; Column 40, Lines 58-66, the smart light bulb may be equipped with a receiver and/or transmitter which may be connected to the processor. The receiver may be merely an interface to a circuit or network connection or may be a separate component capable of receiving other signals. The receiver may receive signals by a data connection from another device; Column 46, Lines 2-4, the signal can then be sent to a microcontroller controlling the LED system which can emit colors corresponding to pH levels; Column 55, Lines 59-67, an addressable controller having an alterable address, the controller coupled to the input and having a timer for generating the activation signal for a predefined portion of the timing cycle, the addressable controller further comprising a data receiver corresponding to the alterable address and indicative of the predefined portion of the timing cycle, and a positioning system capable of positioning the LED system in a spatial relationship with a material whereby the LED system illuminates the material; Column 62, Lines 50-67, illuminating a living organism, these technologies can be directed to cells, microorganisms, plants or animals, microbiological applications, cloning applications, cell culture, agricultural applications, aquaculture, veterinary applications or human applications. Plant

Art Unit: 2169

growth can be accelerated by precisely controlling the spectrum of light they are grown in. A plurality of LED systems provide illumination to fruitbearing plants being grown in a greenhouse environment. Cellular growth in culture can be improved by illuminating the cells or the media with light having certain spectral qualities).

With respect to claim 58, the combination of Lys and Copenhaver discloses "The condition data collecting system of claim 40 wherein the environment controlling means further includes a temperature controlling means including a heater or a window open-close mechanism," (Lys, Column 7, Lines 27-35, the system may also include a signal generator for generating signal that controls the other device and an illumination control driver for generating the illumination control signal for the illumination source. The illumination source may be an LED system that is controlled by a microprocessor to vary at least one of the color and intensity of the illumination produced by the illumination source in response to the illumination control signal; Column 17, Lines 41-42, detectors of ambient temperature; Column 42, Line 47-55, another indicator use is to provide an easily readable visual temperature indication. A digital thermometer can be connected to provide the processor a temperature reading. Each temperature will be associated with a particular set of register values, and hence a particular color output. A plurality of such "color thermometers" can be located over a large space, such as a storage freezer, to allow simple visual inspection of temperature over three dimensions; Column 47, Lines 42-43 & 49, physical

Art Unit: 2169

conditions that could be indicated by using the LED system include heat, it is obvious to those skilled in the art that the LED system could be used in conjunction with a heater because the system measures heat and incorporates a thermometer).

With respect to claim 59, Lys discloses "A condition data collecting system for promoting a growth or a health of a living organism in an environment comprising:

means for controlling the environment of the living organism; (Lys, Column 44, Lines 60-63, the information can then be sent as input to the microcontroller controlling the LED system to cause to shine lights of various colors that correspond to the magnetic field strength).

means for measuring the environment of the living organism to produce environmental data concerning the environment of the living organism including at least one of an electroencephalograph, a clinical thermometer, a heart rate measuring instrument, or a skin resistance meter; (Lys, Column 42, Lines 6-7, electrocardiogram (EKG) machine is a well known heart rate measuring instrument)

means for measuring the state of the living organism to produce state data concerning a state of the living organism; (Lys, Column 42, Lines 3-20 & 33-34, the data network may carry signals from a control device. The control device may be any device capable of sending a signal to a data network. The control device is an electrocardiogram (EKG) machine. The EKG machine has a plurality of

Art Unit: 2169

sensors that measure the electrical activity of the heart of a patient. The EKG machine may be programmed to send control data over the network to the smart light bulb in instances in which the EKG machine measures particular states of the electrical activity measured by the sensors. The light bulbs could illuminate with a particular color, such as green, for normal cardiac activity, but could change to a different color to reflect particular cardiac problems. For example, arrhythmia could be reflected by a flashing red illumination signal to the smart light bulb, a rapid pulse could be reflected by a yellow signal to the smart light bulbs, or the like; the present invention may be used as a general indicator of any given environmental condition)

a first controlling system connected to the means for controlling the environment of the living organism, the means for measuring the environment of the living organism, and the means for measuring the state of the living organism, the first controlling system controlling the means for controlling the environment of the living organism, receiving the environmental data, and receiving the state data; (Lys, Column 44, Lines 60-63, the information can then be sent as input to the microcontroller controlling the LED system to cause to shine lights of various colors that correspond to the magnetic field strength; Column 42, Lines 3-20 & 33-34, the data network may carry signals from a control device. The control device may be any device capable of sending a signal to a data network. The control device is an electrocardiogram (EKG) machine. The EKG machine has a plurality of sensors that measure the electrical activity of the heart of a patient. The EKG machine may be programmed to send control

Art Unit: 2169

data over the network to the smart light bulb in instances in which the EKG machine measures particular states of the electrical activity measured by the sensors. The light bulbs could illuminate with a particular color, such as green, for normal cardiac activity, but could change to a different color to reflect particular cardiac problems. For example, arrhythmia could be reflected by a flashing red illumination signal to the smart light bulb, a rapid pulse could be reflected by a yellow signal to the smart light bulbs, or the like; the present invention may be used as a general indicator of any given environmental condition; Column 40, Lines 58-66, the smart light bulb may be equipped with a receiver and/or transmitter which may be connected to the processor. The receiver may be merely an interface to a circuit or network connection or may be a separate component capable of receiving other signals. The receiver may receive signals by a data connection from another device)

and an information processing system connected to the first controlling system, the information processing system including (Lys, Column 43, Lines 3-6, electrical signals can be manipulated by electronic signals in turn can be manipulated by electronic circuits, digitized by analog to digital converters, and sent for processing to a processor, such as a microcontroller or microprocessor. The processor could then sent out information to dictate the characteristics of the light emitted by the LED system)

an environmental data receiving unit receiving the environmental data from the first controlling system, an environmental data administrating unit connected to the environmental data receiving unit, the environmental data

Art Unit: 2169

administrating unit administering the environmental data received by the environmental data receiving unit, a state data receiving unit receiving state data from the first controlling system, a state data administrating part administering the state data received by the state data receiving part, a state data delivering part delivering the state data administered by the state data administrating part to the second controlling system, an assessment data obtaining unit obtaining assessment data showing an assessment of uniqueness or effectiveness of the environmental data administered by the environmental data administrating unit, an environmental data delivering unit obtaining the environmental data administered by the environmental data administrating unit and delivering the environmental data to a second controlling system when the environmental data delivering unit receives an environmental data request signal from the second controlling system and the assessment of uniqueness or effectiveness of the environmental data meets a predetermined requirement," (Lys, Column 40, Lines 58-66, the smart light bulb may be equipped with a receiver and/or transmitter which may be connecte4d to the processor. The receiver may be merely an interface to a circuit or network connection or may be a separate component capable of receiving other signals. The receiver may receive signals by a data connection from another device; Column 42, Lines 3-20 & 33-34, the data network may carry signals from a control device. The control device may be any device capable of sending a signal to a data network. The control device is an electrocardiogram (EKG) machine. The EKG machine has a plurality of sensors that measure the electrical activity of the heart of a patient. The EKG machine

Art Unit: 2169

may be programmed to send control data over the network to the smart light bulb in instances in which the EKG machine measures particular states of the electrical activity measured by the sensors. The light bulbs could illuminate with a particular color, such as green, for normal cardiac activity, but could change to a different color to reflect particular cardiac problems. For example, arrhythmia could be reflected by a flashing red illumination signal to the smart light bulb, a rapid pulse could be reflected by a yellow signal to the smart light bulbs, or the like; the present invention may be used as a general indicator of any given environmental condition; Copenhaver, [0031], the fee is received as a royalty payment; [0032], the fee is received through sales of seed generated by the new crop; [0033], the fee is based on sales of a product made from the new crop; [0034], the fee is based on licensing of the new crop or product; [0035], the fee is based on licensing of the new crop or product; [0083], the royalty payment may take a variety of forms. The royalty can be charged either as a one time payment, fixed fee paid on a regular basis, or a portion of the sales, or any combination thereof. For example, the technology for creating a new crop or the new crop itself may be licensed to a third party)

Lys does not explicitly disclose "means for transferring monetary value from the second controlling system to the first controlling system based on the assessment of uniqueness or effectiveness of the environmental data when the second controlling system receives environmental data originally produced by the first controlling system."

However, Copenhaver discloses "a method for increasing the value of the specific crop is provided. The method comprises the steps of identifying a sequence associated with a centromere of the crop; using a gene or number of genes and the sequence to create a minichromosome; and introducing the minichromosome into the crop to create a transgenic plant having a characteristic that causes the modified crop to be more valuable ([0027]).

Lys and Copenhaver are analogous art because they are from the same field of endeavor involving systems involving plant growth.

At the time of invention, it would have been obvious to one of ordinary skill to in the art, having the teachings of Lys and Copenhaver before him or her, to modify the teachings of Lys by adding way to increase the value of a specific crop as taught by Copenhaver. The motivation for doing so would enable a user allow one to increase revenues associated with crops, develop new avenues for generating revenues from crops through royalty payments, and provide new services to a third party ([0015]; [0031]). The cited additional element would not interfere with the functionality of steps previously claimed and would perform the same function. Therefore it would have been obvious to combine Lys with Copenhaver to obtain the invention as specified in the instant claim(s).

Response to Arguments

5. Applicant's arguments with respect to claims 1-12, 24-25, 27-30, and 33-39 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JAMES J. WILCOX whose telephone number is (571)270-3774. The examiner can normally be reached on Days: M-H Times: 6:30 A.M.-6:30 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tony Mahmoudi can be reached on (571)272-4078. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Art Unit: 2169

JJW (December 4, 2008)

/Tony Mahmoudi/
Supervisory Patent Examiner, Art Unit 2169